

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	27	(BRUN.in. or CARLIER.in. or PIZON.in.) and (exhaust near4 gas) and (engine)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/16 13:57
S2	3	(BRUN.in. or CARLIER.in. or PIZON.in.) and (exhaust near4 gas) and (engine) and (blade or fan or blower or swirl\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/16 13:57
S3	27	(US-20050005594-\$).did. or (US-4931026-\$ or US-7073626-\$ or US-7104251-\$ or US-6895756-\$ or US-5203164-\$ or US-3640642-\$ or US-4180368-\$ or US-4331429-\$ or US-4875829-\$ or US-5284018-\$ or US-5286164-\$ or US-7174709-\$ or US-4825652-\$ or US-5941069-\$ or US-6805092-\$ or US-5542249-\$ or US-6158412-\$ or US-5943856-\$ or US-4352638-\$ or US-4909346-\$ or US-4186603-\$).did. or (US-3126263-\$ or US-3477227-\$ or US-2372765-\$ or US-2518660-\$ or US-1753906-\$).did.	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/16 13:57

S4	451	((exhaust near4 gas) and (engine) and (blade or fan or blower or swirl\$4) and ((blade or fan or blower or swirl \$4) near4 exhaust)).CLM.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/16 13:58
S5	7	((exhaust near4 gas) and (engine) and (blade or fan or blower or swirl\$4) and (hub) and (flow \$4 near4 rate)). CLM.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/16 13:59
S6	2	((exhaust near4 gas) and (engine) and (blade or fan or blower or swirl\$4) and (hub) and (flow \$4 near4 rate) and (open or opening or hole or perforat\$4) and (ring)).CLM.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/16 13:59
S7	15	((exhaust near4 gas) and (engine) and (blade or fan or blower or swirl\$4) and (open or opening or hole or perforat\$4) and ((open or opening or hole or perforat \$4) near4 (hub))). CLM.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/16 13:59
S8	4	((exhaust near4 gas) and (engine) and (blade or fan) and (open or opening or hole or perforat\$4) and ((open or opening or hole or perforat \$4) near4 (hub)) and (ring)).CLM.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/16 13:59

S9	2	((exhaust near4 gas) and (engine) and (blade or fan or blower or swirl\$4) and (hub) and (flow \$4 near4 rate) and (open or opening or hole or perforat\$4) and (ring)).CLM.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/16 13:59
S10	415	(exhaust near4 gas) and (engine) and (blade or fan or blower or swirl\$4) and (hub) and (flow \$4 near4 rate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/16 14:08
S11	375	(exhaust near4 gas) and (engine) and (blade or fan or blower or swirl\$4) and (hub) and (flow \$4 near4 rate) and (open or opening or hole or perforat\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/16 14:08
S12	30	(exhaust near4 gas) and (engine) and (blade or fan or blower or swirl\$4) and (hub) and (flow \$4 near4 rate) and (open or opening or hole or perforat\$4) and (dilut\$4 near4 gas)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/16 14:08
S13	263	(exhaust near4 gas) and (engine) and (blade or fan or blower or swirl\$4) and (hub) and (flow \$4 near4 rate) and (open or opening or hole or perforat\$4) and (ring)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/16 14:08

S14	41	(exhaust near4 gas) and (engine) and (blade or fan or blower or swirl\$4) and (hub) and (flow \$4 near4 rate) and (open or opening or hole or perforat\$4) and (ring) and (dilut \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/16 14:08
S15	64	(exhaust near4 gas) and (engine) and (blade or fan or blower or swirl\$4) and ((blade or fan or blower or swirl \$4) near4 exhaust) and (flow\$4 near4 rate) and (flow\$4 near4 (reduc\$4 or restric\$4)) and ((open or opening or hole or perforat \$4) near4 (center or central))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/16 14:08
S16	95	(exhaust near4 gas) and (engine) and (blade or fan or blower or swirl\$4) and ((blade or fan or blower or swirl \$4) near4 (exhaust) near4 (pipe or tube)) and (60/272-324.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/16 14:08
S17	35	(exhaust near4 gas) and (engine) and (blade or fan or blower or swirl\$4) and ((blade or fan or blower or swirl \$4) near4 (exhaust) near4 (pipe or tube)) and (hub)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/16 14:08

S18	282	(exhaust near4 gas) and (engine) and (blade or fan or blower or swirl\$4) and (open or opening or hole or perforat\$4) and ((open or opening or hole or perforat\$4) near4 (hub))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/16 14:08
S19	182	(exhaust near4 gas) and (engine) and (blade or fan) and (open or opening or hole or perforat\$4) and ((open or opening or hole or perforat\$4) near4 (hub)) and (ring)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/16 14:08
S20	25	(exhaust near4 gas) and (engine) and (blade or fan) and (open or opening or hole or perforat\$4) and ((open or opening or hole or perforat\$4) near4 (hub) near4 (center or central or middle)) and (ring)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/16 14:08
S21	24	(exhaust near4 gas) and (engine) and (blade or fan or blower or swirl\$4) and ((blade or fan or blower or swirl\$4) near4 exhaust) and (hub with (open or openning or hole or perforat\$4)) and (balanc\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/16 14:08

S22	69	(blade or fan or blower or swirl\$4) and ((blade or fan or blower or swirl \$4) near4 exhaust) and (hub near4 (open or opening or hole or perforat \$4)) and (balanc\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/16 14:08
S23	210	416/94.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 09:05
S24	1199	(exhaust near4 gas) and (engine) and (blade or fan or blower or swirl\$4) and (open or opening or hole or perforat\$4) and (60/287-324.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 09:10
S25	868	(exhaust near4 gas) and (engine) and (blade or fan or blower) and (open or opening or hole or perforat\$4) and (60/287-324.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 09:11
S26	378	(exhaust near4 gas) and (engine) and (blade or fan or blower) and (open or opening or hole or perforat\$4) and (hub or center) and (60/287-324.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 09:12
S27	21	("1340158" "1761971" "1797310" "1818469" "2063270" "2076827" "2158030" "2359365" "2663378" "3966443" "4533015"	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/07 11:43

		"6588545").PN.				
S28	1	("7073626").URPN.	USPAT	OR	ON	2008/10/07 11:43
S29	4	("1761971").URPN.	USPAT	OR	ON	2008/10/07 11:45
S30	3	("2158030").URPN.	USPAT	OR	ON	2008/10/07 11:46
S31	6	("2076827").URPN.	USPAT	OR	ON	2008/10/07 11:47
S32	29	("0867973" "0896606" "1019571" "1276935" "1473235" "1885062" "2076827" "2679230" "3000465" "3558084" "4385585" "4694653" "4694654" "4813368" "4886978" "4966253" "5334071" "6006859" "6343673" "6367580").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/07 11:51
S33	2	("6810992").URPN.	USPAT	OR	ON	2008/10/07 11:51
S34	5	("867973").URPN.	USPAT	OR	ON	2008/10/07 11:54
S35	186	"181"/"225".CCL.S.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/07 11:59
S36	302	415/103.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/07 12:16

S37	0	(415/103.ccls.) and (exhaust near4 gas) and (engine)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/07 12:17
S38	3	(415/103.ccls.) and (exhaust) and (engine)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/07 12:17
S39	36	(415/103.ccls.) and (exhaust)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/07 12:17
S40	177	60/315.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/07 12:23
S41	168	415/202.ccls. and (exhaust)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 15:18
S42	67	(exhaust near4 gas) and (engine) and (blade or fan or blower or swirl\$4) and (hub) and (flow \$4 near4 rate) and (open or opening or hole or perforat\$4) and (exhaust near4 (mix\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 15:27

S43	1623	(exhaust near4 gas) and (engine) and (blade or fan or blower) and (open or opening or hole or perforat\$4) and (hub or center) and (exhaust near4 (mix \$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 15:38
S44	89	(exhaust near4 gas) and (engine) and (blade or fan or blower) and (open or opening or hole or perforat\$4) and (hub or center) and (exhaust near4 (mixer))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 15:40
S45	313	(exhaust near4 gas) and (engine) and (blade or fan or blower or swirl\$4) and (diffus\$4) and (flow\$4 near4 rate) and (open or opening or hole or perforat\$4) and (exhaust near4 (mix \$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 13:28
S46	37	(exhaust near4 gas) and (engine) and (blade or fan or blower or swirl\$4) and (diffus\$4) and (flow\$4 near4 rate) and (open or opening or hole or perforat\$4) and (exhaust near4 (mix \$4)) and (60/272-324.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 13:30

S47	39	(exhaust near4 gas) and (engine) and (blade or fan or blower or swirl\$4) and (divert\$4) and (flow\$4 near4 rate) and (open or opening or hole or perforat\$4) and (exhaust near4 (mix \$4)) and (60/272-324.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 13:32
S48	19	(exhaust near4 gas) and (engine) and (blade or fan or blower or swirl\$4) and (diverter) and (flow\$4 near4 rate) and (open or opening or hole or perforat\$4) and (60/272-324.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 13:33
S49	47	(exhaust near4 gas) and (engine) and (blade or fan or blower or swirl\$4) and (diverter) and (open or opening or hole or perforat\$4) and (60/272-324.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 13:34
S50	59	(exhaust near4 gas) and (engine) and (blade or fan or blower or swirl\$4) and (binh.xp.) and (60/272-324.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 13:36
S51	415	(exhaust near4 gas) and (engine) and (binh.xp.) and (60/272-324.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 13:38
S52	106	(exhaust near4 gas) and (engine) and (exhaust near4 (mix \$4)) and (binh.xp.) and (60/272-324.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 13:38

S53	8	(exhaust near4 gas) and (engine) and ((mixer)) and (binh.xp.) and (60/272-324.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 13:40
S54	1	(exhaust near4 gas) and (engine) and ((diffusor)) and (binh.xp.) and (60/272-324.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 13:40
S55	6	("239"/\$.ccls.) and (binh.xp.) and (60/272-324.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 13:40
S56	11	("4872528" "6203770" "6449947" "6540046" "6601385" "6712869" "6722123" "6722124" "6745562" "7065958" "7152396").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/09 13:41
S57	0	("7328572").URPN.	USPAT	OR	ON	2008/10/09 13:41
S58	18	("3838977" "3964875" "4039294" "4183896" "4328188" "4374803" "4383974" "4601168" "4685534" "5150573" "5185998" "5202097" "5484575" "5904042" "5962822" "6024189" "6449947" "6588545").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/09 13:42

S59	3	("6745562").URPN.	USPAT	OR	ON	2008/10/09 13:42
S60	306	(exhaust near4 gas) and (engine) and (blade or fan or blower or swirl\$4) and (hub) and (open or opening or hole or perforat\$4) and (exhaust near4 (mix\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 13:45
S61	29	(exhaust near4 gas) and (engine) and (blade or fan or blower or swirl\$4) and (hub) and (open or opening or hole or perforat\$4) and (exhaust near4 (mixer))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 13:45
S62	187	(exhaust near4 gas) and (engine) and (blade or fan or blower or swirl\$4) and (open or opening or hole or perforat\$4) and (exhaust near4 (mixer))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 13:57

10/14/2008 9:58:07 AM

C:\Documents and Settings\btran\My Documents\EAST\Workspaces\10797014.wsp